

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	788	heat\$3 and reservoir same compress\$ and inflat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:41
S2	451	S1 and @ad<"20010530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:21
S3	2748	(607/96,104,108,109,110,111,112,114).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:26
S4	1680	S3 and @ad<"20010530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:23
S5	690	(607/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:22
S6	454	S5 and @ad<"20010530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:27
S7	1079	(607/108,109,110,111).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:26
S8	680	S7 and @ad<"20010530"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:27
S9	104	S8 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:46

S10	111	S3 and breast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:40
S11	36	S9 and (compress\$ squeeze press) with (reservoir source fluid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 11:46
S12	2	("5662695").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:52
S13	2	("3995621").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:28
S14	64	morton.in. and breast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:28
S15	4	((("3995621") or ("5507792"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:02
S16	2	("20020183718").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:02
S17	1	S16 and mov\$5 with wall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:02
S18	5	squeeze with bulb with roller\$ with pump\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:53
S19	951	roller\$ with pump\$ same flexible with tub\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:55

S20	56	roller\$ with pump\$ same flexible with tub\$3 and inflat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:55
-----	----	---	---	----	-----	------------------